

3U 12 SLOTS UPX MODULAR FIXED FRAME (Up to 288FO in LC) – **UPXPP03**



Browse on Mobile

 Browse on Web

NEXCONEC[®] UPX (Uptime Cross-Connect Solution) High-Density Fiber Optic 3U Patching Panel (fixed frame design) supports up to 12 UPX cassettes or adapter plates, accommodating up to 288 fibers in LC or a maximum of 576 fibers in SN configuration.

This modular frame is designed for versatile applications, including MPO systems, pre-terminated custom modules, patch-through plates, next-generation transition modules (100G/40G to 25G/10G), or traditional splicing. The multi-functional chassis provides easy access during installation or rework without disturbing existing cables or fibers.

The frame is supplied unloaded, with modules and plates available separately.

FEATURES

- ✓ 12 Slots UPX in 3U space
- ✓ Compact size for installation shallow-depth racks
- ✓ Up to 288FO in LC, 144FO in SC, 432FO in CS & 576FO in SN
- ✓ Fully integrated fiber management with Facilitated patch cord installation
- ✓ Individually labelled ports
- ✓ Modular with MTP[®]/MPO, Splicing Cassette or Adapter plates or copper module

APPLICATIONS

- ✓ Datacenter storage area network & Central Office, POP
- ✓ Indoor application
- ✓ Enterprise/Campus


SPECIFICATIONS

| Parameters | Value |
|-----------------------------|--|
| Mounting Type | Rack 19" |
| Opening Type | Fixed Chassis |
| Access Type | Front Access |
| Front Cable Management | Hinged Drop-Down Door |
| Cable Entry Direction | Rear, left and right |
| Height Unit | 3U |
| Slot Type | UPX Modules and UPX Plates |
| Number of Slots | 12 Slots |
| Fiber Capacity | Up to 288FO in LC, 144FO in SC, 432FO in CS, 576FO in SN |
| Material | Metal Part: Cold Rolled Steel Plastic Part: PC+ABS |
| Housing Color | Metal Part: Black (RAL 9004) Plastic Part: Grey Blue (RAL 5008) |
| Application | Indoor IP20 |
| Dimensions (W x D x H) | 439.60 x 404.20 x 133.20 mm |
| Net Weight | 3.5 Kg |
| Material Compliant | RoHS, REACH / SVHC |
| Telecommunication Standards | TIA/EIA 568.C, ISO/IEC 11801, EN 50173, IEC 60304, IEC 61754 |

ORDER INFORMATION

| Product | Part Number | Product Description |
|---|----------------|--|
|  | UPXPP03 | 3U 12 Slots UPX Modular Fixed Frame (Including Front Management) |

TECHNICAL DRAWINGS



RELATED PRODUCTS AND ACCESSORIES

| Product | Part Number | Product Description |
|---|----------------|---|
|  | UPXCA01 | UPX Module MPO-LC Elite 24FO SM Pol A/C |
|  | UPXCA02 | UPX Module MPO-LC/APC Elite 24FO SM Pol A/C |

| | | |
|---|------------------|---|
|  | UPXCA03 | UPX Module MPO-LC Elite 24FO MM OM3/4 Pol A/C |
|  | UPXCA04F | UPX Module Front MPO-LC/UPC Elite 12FO SM Pol A/C |
|  | UPXCA05F | UPX Module Front MPO-LC/APC Elite 12FO SM Pol A/C |
|  | UPXCA06F | UPX Module Front MPO-LC/UPC Elite 12FO MMF OM3/4 Pol A/C |
|  | UPXCA07QF | UPX Module Front MPO-LC/UPC Elite 16FO SM Pol B |
|  | UPXCA08QF | UPX Module Front MPO-LC/APC Elite 16FO SM Pol B |
|  | UPXCA09QF | UPX Module Front MPO-LC/UPC Elite 16FO MMF OM3/4 Pol B |
|  | UPXSP01 | UPX Splice Module LC/UPC 24FO Pigtailed SM, Shuttered Ports |
|  | UPXSP02 | UPX Splice Module LC/APC 24FO Pigtailed SM, Shuttered Ports |
|  | UPXSP03 | UPX Splice Module LC/UPC 24FO Pigtailed MM OM3/4, Shuttered Ports |

| | | |
|---|-----------------|---|
|  | UPXSP04 | UPX Splice Module SC/UPC 12FO Pigtailed SM |
|  | UPXSP05 | UPX Splice Module SC/APC 12FO Pigtailed SM |
|  | UPXSP06 | UPX Splice Module SC/UPC 12FO Pigtailed MM OM3/4 |
|  | UPXSP07F | UPX Module Front Splice LC/UPC 12FO Pigtailed SMF OS2 |
|  | UPXSP08F | UPX Module Front Splice LC/APC 12FO Pigtailed SMF OS2 |
|  | UPXSP09F | UPX Module Front Splice LC/UPC 12FO Pigtailed MMF OM3/OM4 |
|  | UPXPL01 | UPX Adapter Plate LC 24FO SM Blue |
|  | UPXPL02 | UPX Adapter Plate LC/APC 24FO SM Green |
|  | UPXPL03 | UPX Adapter Plate LC 24FO MM Aqua |
|  | UPXPL03V | UPX Adapter Plate LC 24FO MM Erika Violet |
|  | UPXPL04 | UPX Adapter Plate 6x SC Duplex, 12FO SM Blue |

| | | |
|---|-----------------|--|
|  | UPXPL05 | UPX Adapter Plate 6x SCA Duplex, 12FO SM Green |
|  | UPXPL06 | UPX Adapter Plate 6x SC Duplex, 12FO MM Aqua |
|  | UPXPL06V | UPX Adapter Plate 6x SC Duplex, 12FO MM Erika Violet |
|  | UPXPL11 | UPX Adapter Plate 12 Ports MTP®/MPO Duplex Key Up/Key Down |
|  | UPXPL21 | UPX Adapter Plate 12 Ports MTP®/MPO Duplex Key Up/Key Up |
|  | UPXPL30 | UPX Adapter Plate CS® 36FO (18 Channels) SM Blue |
|  | UPXPL31 | UPX Adapter Plate CS®/APC 36FO (18 Channels) SM Green |
|  | UPXPL40 | UPX Adapter Plate SN® 48FO (24 Channels) SM Blue |
|  | UPXPL41 | UPX Adapter Plate SN®/APC 48FO (24 Channels) SM Green |

* Add **-SH** at the end of Part Number for Shuttered dustproof LC/SN/CS adapters.