

UPX CS[®] PATCHING PLATES – **UPXPLxx**



Browse on Mobile

 Browse on Web

NEXCONEC[®] provides a comprehensive selection of UPX-compatible fiber adapter plates, built to address a wide variety of connectivity and cable management requirements. Specifically developed for integration with all NEXCONEC UPX rackmount enclosures, the UPX CS[®] patching plates deliver exceptional performance. Featuring a capacity of 36FO (18 Channels) using CS[®] adapters, these plates ensure the dependable, high-density connections required to optimize today's enterprise and data center network infrastructures.

FEATURES

- ✓ Large choice of pass-thru adapters: SC/LC/MPO/CS[®]/SN[®]
- ✓ Easy and fast installation
- ✓ High-density design supporting up to 36 fibers in minimal space
- ✓ Durable construction ensuring long-term performance and stability

APPLICATIONS

- ✓ Enterprise network & Datacenter
- ✓ Indoor application
- ✓ Most Common Footprint

SPECIFICATIONS

Parameters	Value
Mounting Type	Snap-in (UPX)
Dimensions (W x D x H)	87.76 x 38 x 29.10 mm
Material	PC+ABS
Housing Color	Grey Blue (RAL 5008)
Weight	0.25Kg


ORDER INFORMATION

Product	Part Number	Product Description
	UPXPL30	UPX Adapter Plate CS® 36FO (18 Channels) SM Blue
	UPXPL31	UPX Adapter Plate CS®/APC 36FO (18 Channels) SM Green

* Ask sales for other products and configuration not shown. sales@nexcotec.com

RELATED PRODUCTS AND ACCESSORIES

Product	Part Number	Product Description
	UPXPP01	1U 5 Slots UPX Modular Fixed Frame (Including Front Management)

	<p>UPXPP02</p>	<p>2U 12 Slots UPX Modular Fixed Frame (Including Front Management)</p>
	<p>UPXPP03</p>	<p>3U 12 Slots UPX Modular Fixed Frame (Including Front Management)</p>

TECHNICAL DRAWING

